

# Full Aluminum Nose Wire

The nose strip of the face mask plays a supporting role on the nose bridge and prevents dust from entering.



## The Overview of Full Aluminum Nose Wire

The full aluminum nose wire of the face mask supports the bridge of the nose and prevents dust from entering, which is usually used in surgical masks and a variety of protective masks. Full aluminum nose wire is one of the common types.

With the feature of eco-friendliness, the product can be disposed of in an environmental way. Without external force rebound, it can maintain the original shape.

The specification of full aluminum nose wire: Soft aluminum, 3mm-5mm width, 0.5-0.85mm thickness, can be packed with or without plastic spool

## The Specification of Full Aluminium Nose Strip

Material: Soft Aluminium	Thickness: 0.5-0.85mm	Length/KG: 200m-220m
CBM/ Ton: 2	Packing Quantity: 2 Rolls/CTN ,10kg/CTN	Width: 3.0-5.0mm
Split Joint Times: $\leq 2$	CTN size: 35cm*35cm*25cm	Application: Surgical Face Masks, N95 Face Mks, FFP2 Face Mask
Loading Port: Shanghai China	20GP/40HQ Q'ty:12 Tons/35Tons	Brand Name: <b>SENCI</b>
Certificate: SGS,MSDS,RoHS	MOQ: 500 KGS	Supply Ability: 200 Ton /Month

## Soft Aluminum Wire Features

Full aluminum nose strip can be produced by our company. We can produce nose belt of different thickness according to the requirements from customers.

Our company uses environmentally friendly polyethylene materials. The nose strip is of smooth and delicate handle lubrication, and it will not rebound after folding. Easy to bend and effective to maintain shape, it has excellent production with affordable and reasonable price and good touch feeling. Due to our professional production, the out coating wire will not be rusty. It is also safe and convenient to use.

## **Nose Wire Aluminum Application**

Our products are applied in medical face mask, dust proof face masks, disposable face masks, cup-shaped face masks, foldable face masks, etc.

The most of our nose strips are used for surgical masks and disposable masks. They have good fitness and will not rebound after folding. We can supply plastic spool according to the requirement of our customers. It is simple to use operate our products.

## **Nose Wire Types**

According to the different materials, our nose stripes are mainly divided into one wire nose stripe, double-wires nose stripe, full plastic nose stripe, full aluminum

nose stripe. They are all used for the nose bridge support strips of face masks, and easy to use, environmentally friendly, and play a very good auxiliary role for the face mask production factory in the world.

One-wire	Virgin PP material, stainless steel wire or galvanized iron, 2.5-4.0mm width 0.9-1.2mm thickness	Length/KG: 200m--220m
Double-wires	Virgin pp material, stainless steel wire or galvanized iron, 2.5-8.0mm width 0.9-1.2mm thickness	Width:3.0-5.0mm
Full plastic	Virgin PE material, 2.8-3.2mm width 0.6-0.9mm thickness	Application: Surgical Face Masks, N95 Face Mks, FFP2 Face Mask
Full aluminum	Soft aluminum, 3mm-5mm width, 0.5-0.85mm thickness, can be packed with or without a plastic spool	Brand Name: <b>SENCI</b>
Certificate: SGS,MSDS,RoHs	MOQ: 500 KGS	Supply Ability: 200 Ton /Month

## Flat Aluminum Wire Description

The full aluminum nose wire is made by stretching and rolling the aluminum with a machine without adding any chemical materials when producing. The product has the characteristics of softness, no burry, no injury to hands, and is conducive to environmental protection and recycling.

